

Diseases and infections thought by current science to be only in animals are rarely ever confined to just animals.

Although crossover infection is uncommon, it clearly has been happening for millenniums. We eat an infected animal and the disease comes into us.

Current science has recognized the crossover of infections with the occurrence of Mad Cow's Disease in some of the people found to have it. Officially the disease is Bovine Spongiform Encephalitis (BSE). Elk and Deer "Wasting Disease" are also forms of Spongiform Encephalitis that have been found in people.

We have even made miasmatic remedies of some of the infections as shown in some successful strategies. In Lupus Discoid, the determining factor is Tuberculinum Deer added to the regime for Lupus Erythematosus. In **Lactose Intolerance**, one of the most important ingredients is Bovine Tuberculinum. **Tick Heritage** shows the miasm of different tick diseases in the world, including Lyme Disease. Myxoreoinum Boar is part of the formula for **Pituitary Diabetes**. In **Digestion Intolerance – Sheep** we find a strong miasmatic influence of **Scrapie**.

An active, current direct infection is very common in known diseases (although these solutions aren't commonly known). The successful strategy for Tourette's Syndrome includes **Tourette's Base** plus an infection from an animal that the subject imitates (such as **Squirrel Pox** for the most common form). Again in Huntington's Chorea, the strategy turned out to be **Tourette's Base** plus **Distemper**. With Lyme Disease we often find **Spirochete/Hanta/Parvo** and the Parvo B19 is thought to be only in dogs. Children who want to bite other children are commonly cured with a rabies antidote.

Many of these diseases imitate the effect of active **Syphilis** in the brain. When **Syphilis** and/or genital herpes (see separate description of strategy) are in the brain there is considerable deterioration that makes people especially susceptible to the above diseases or generate miasmatic forms of similar diseases. The same disease lowers the immune system to many other diseases as well. (You could swear that the people take cantankerous pills).

SUMMARY OF REMEDIES

See page 3

Spongiform Encephalitis was previously described as a slow viral disease and is currently described as a prion disease. A few recognized human forms might help in spotting animal crossover forms. All have similarities to Alzheimers and all are considered fatal from a medical viewpoint. Humph!

Creutzfeldt-Jakob Disease is characterized by dementia and muscle twitches which are thought to set in between age 40 to 65 (cases have been detected in younger people). The agent that causes it is described as similar to scrapie. In addition to memory loss and tremors, there is later blurred and double vision, vertigo followed by self neglect, apathy or irritability. Some see fatigue and sleep problems.

Gerstmann-Straussler-Scheinker Disease is similar. Peripheral neuropathy comes from spinocerebellar degeneration or olivopontocerebellar degeneration. Progression is to limb dysarthria, nystagmus, parkinsonism, deafness, blindness and gaze palsies.

Fatal Familia Insomnia has been renamed **SLEEP BALANCE** by popular demand. It is seen with sleep disturbances, mostly insomnia and selective manias that could too easily be explained away as from sleep deprivation. There is a strong connection to adrenals.

Syphilis is considered the chief neuro disease of the world. Syphilis is based on the bacterial family called Spirochete. Spirochete is spread primarily by fleas to animals. We consider Lyme to be a “deer tick” disease when the disease actually originated with the flea.

Animals get syphilis like humans get syphilis. After two years of research we have found that when we eat animals with syphilis we easily (not always) get that animal’s form of syphilis. It scares people too much to tell them they have cow syphilis, so we have renamed all the animal syphilis remedies as “neurovirus” remedies, i.e. **Cow Neurovirus** and **Rabbit Neurovirus**, etc.

We find that most cases of weight that edge into obesity have an animal neurovirus in the brain. In the lobes of the brain – especially the frontal lobe – it seems to make all the systems about metabolism breakdown. It certainly disrupts the quality of the fluid of the brain.

Like human syphilis, the bacteria can make you a little strange in the thinking over a period of time. Sometimes you feel like you are losing your grip on reality, which is easy to do these days even without the virus. It is hard to find honest friends to tell you this without it looking like a character attack. If you add **Borna Virus** combinations to this or a sub-clinical case of **PKU** the effect is magnified. If you approach the subject from the basis of a curable physiological disease, there may be more willingness to look at the issue analytically.

OTHER ANIMAL DISEASES

The destruction of nerves seems to start in the brain and spread from there. **Distemper** is known to give animals tremors and seizures. It can make other diseases complicated and make jerky kinds of movements in the muscles. People have a somewhat edgy temper when provoked.

Rabies can make you “bitey” as well as have a tendency to bite (as is witnessed in some AIDS wards). Children with rabies often want to bite.

Cat Scratch Fever is also called Feline Leukemia and is easy to get from sick cats no matter how shallow the scratch or bite. Unexplainable tiredness is the chief symptom.

The flea is the most dangerous animal in the world. A sick flea is a disaster. Flea Spongiform Encephalitis is the base disease of all animal Spongiform Encephalitis. A flea bite can be very toxic—see **Flea Toxins** and **Flea Spongiform Encephalitis**.

ANIMAL CROSS INFECTIONS

DISTEMPER, CANINE	RAT FLEA BITE DISEASE
DISTEMPER, CHICKEN	NEUROVIRUS, BEAR
DISTEMPER, COW	NEUROVIRUS, BEAVER
DISTEMPER, DEER	NEUROVIRUS, CAT
DISTEMPER, FELINE	NEUROVIRUS, CHICKEN
DISTEMPER, HORSE	NEUROVIRUS, COW
DISTEMPER, MINK	NEUROVIRUS, DEER
DISTEMPER, MOOSE	NEUROVIRUS, DOG
DISTEMPER, OSTRICH	NEUROVIRUS, ELK
DISTEMPER, RABBIT	NEUROVIRUS, FLEA
DISTEMPER, RAT	NEUROVIRUS, GOAT
ENCEPHALITIS, ARBO	NEUROVIRUS, HORSE
ENCEPHALITIS,	NEUROVIRUS, MINK
DEER SPONGIFORM	
ENCEPHALITIS,	NEUROVIRUS, OTTER
ELK SPONGIFORM	
ENCEPHALITIS, FLEA	NEUROVIRUS, OX
SPONGIFORM	
ENCEPHALITIS,	NEUROVIRUS, PORK
JAPANESE	
ENCEPHALITIS,	NEUROVIRUS, POSSUM
MARBILLA VIRUS	
ENCEPHALITIS,	NEUROVIRUS, RABBIT
OSTRICH SPONGIFORM	
ENCEPHALITIS,	NEUROVIRUS, RAT
OTTER SPONGIFORM	
ENCEPHALITIS,	NEUROVIRUS, RAVEN
OX SPONGIFORM	
ENCEPHALITIS,	NEUROVIRUS, SHEEP
RABBIT SPONGIFORM	
ENCEPHALITIS,	NEUROVIRUS, SKUNK
RACoon SPONGIFORM	
FEVER, CAT SCRATCH	NEUROVIRUS, SQUIRREL
FEVER, RAT BITE	NEWCASTLE VIRUS
	RHABDO PHLEBO
RABIES	CARCINOMA
	SCABIES
RABIES, CANINE	SCRAPIE
RABIES, COW	THOGOTO, BOVINE
RABIES, DEER	
RABIES, ELK	
RABIES, FELINE	
RABIES, OSTRICH	
RABIES, OTTER	

ANIMAL TOXINS

There are a number of toxins that come from animal bites, stings etc. Here are some of the formulas we've made so far.

	AFRICAN BEE TOXIN	T	
	ANIMAL FATTENING AGENT	T	
	ANIMAL HORMONES - DUOMONES	T	A type of ectomone (hormone from another life form) either from the direct bite of the animal or the bite into an animal you have eaten. Most all ectomones have a paralyzing effect on the diencephalon and therefore a paralyzing effect on the victim. Duomones usually come from muscular invertebrates (snakes, worms, snails). This ectomone affects the endorphins as a way of affecting hormones.
	ANIMAL HORMONES - MONOMONES	T	A type of ectomone (hormone from another life form) either from the direct bite of the animal or the bite into an animal you have eaten. Most all ectomones have a paralyzing effect on the diencephalon and therefore a paralyzing effect on the victim. Monomones usually come from mammals in the human food chain.
	ANIMAL HORMONES - QUADROMONES	T	A type of ectomone (hormone from another life form) either from the direct bite of the animal or the bite into an animal you have eaten. Most all ectomones have a paralyzing effect on the diencephalon and therefore a paralyzing effect on the victim. Quadromones come from mosquitoes and especially affect enkephalins as a mean of interrupting human hormones.
	ANIMAL HORMONES - TERMONES	T	A type of ectomone (hormone from another life form) either from the direct bite of the animal or the bite into an animal you have eaten. Most all ectomones have a paralyzing effect on the diencephalon and therefore a paralyzing effect on the victim. Termones come from the spider and spider-like invertebrates. There is some evidence of mosquito involvement.
	ANT TOXIN #1	T	Non-fire ant, formic acid-based for some species of North American ant.
APIS	APIS	T	Classical homeopathic remedy used for stings of flying critters like bees and wasps.
ARBO	ARBO	V	Arbo Virus - Parasite-born viruses and fevers. Often causes disorientation after teeth work. Much worse in low nutrition settings.
ARENO	ARENO	V	Areno Virus - Meningitis forms of diseases carried by ticks, fleas and animals.
	BACILLUS SPHAERICUS	B	A species with insect pathogens transferred to humans by bites and having a paralytic affect on the hypothalamus. Found to complicate the Influenza A H5N1 and included in BIRD BUG. Often found with insect or critter bites.
	BED BUGS	P	See CIMEX LECTULARIS
BLK SPD	BLACK SPIDER	T	Includes black widow spiders.
BRN SPD	BROWN SPIDER	T	

BBT	BUG BITE TOXINS	T	For those who swell up at the slightest bite of mosquitoes, gnats, chiggers, etc. Spider and bee remedies are separate kinds.
	CENTIPEDE POISON	T	
	CIGUATERA # 2	T	Most noted from eating eel
	CIMEX LECTULARIS	P	Bed Bugs. The bite contracts collagen, sometimes causing coughs and sometimes contracting ankles so that subjects walk on the outside edges of feet. The bite stays itchy and sometimes angry until antidoted.
	CRABS	P	Genital Type. See Pithirus Pubis
FSH TOX	FISH TOXINS	T	
	FLEA TOXIN	T	
FLE WEK	FLEA WEAK	T	
	FLY TOXIN	T	Enters on food. Germinates in intestines and settles in pancreas and diencephalon
	FORMALIN	T	
GHLA	GROWTH HORMONE (LIVESTOCK) ANTIDOTE	T	The growth hormone fed to American livestock that becomes our meat has been so controversial that Europe won't import it. It is suspected to add to the weight issue of the population. Often made worse by the condition represented in the remedy ENR MET.
	IGUANA BITE TOXINS	T	Affects heart by constriction.
	INOSINE	S A R C	Defined as nucleoside used in food processing and flavoring. Medically thought useful in cancer. The material energy tests as a killer of liver and nerves. The freezing of it seems to change its nature to the negative.
	IXODES CEYLONENSIS VENOM	T	Venom from a tick
	JELLY FISH VENOM - PELAGIA NOCTILUCA	T	
	JELLYFISH - PHYSALIA DOMINICAN REPUBLIC	T	Portuguese Man of War Dominican Republic variety
	JELLYFISH - PHYSALIA PHYSALIS	T	Portuguese Man of War Toxins (Generic)
	JELLYFISH (CHIROP-SALMUS QUADRIGATUS	T	Seen from the Philippines to Cairns, North Queensland. Contains carukia barnese, the venom from "Irukandji sting" as it is called in Australia
	JELLYFISH, BOX (CHIRONEX FLECKERI)	T	Considered the most toxic jellyfish to man. Most commonly found on the Northern coast of Australia from Darwin to Port Curtis
	LICE	P	See Pediculus Humanus
	MELITTEN	T	Venom of anthropoids (sometimes carried by fleas) that is often found paralyzing the diencephalon
	MOSQUITO BLOOD POISON	T	Alkalizing agent that paralyzes blood nutrient process.
	PEDICULUS HUMANUS	P	Body louse carrying Spirochete and Borrelia
PFL FEV	PHLEBOTOMUS FEVER	BT	Sand Fly Fever that causes lymph and vascular system to swell almost shut, especially in legs.
	PIRANHA POISON	T	Known to cause muscle jerks
	PITHIRUS PUBIS	P	Crabs
	PRAYING MANTIS, AFRICAN	T	
RATLR	RATTLER	T	The poison from an animal which becomes food, settles into the throat, making swallowing difficult or causing voice constriction.

	SAXITOXIN	T	Fish Toxin
	SCORPION, BLACK SAHARA	T	Toxin from a kind of scorpion known in the North Africa Desert
SCORP	SCORPION	T	The venom can be from direct bite or via the animal food chain. Most people report some "band around their heads" causing headaches
	SIGANUS UNIMCULATIS TOXIN	T	From a fish with venomous spines. Just brushing the leg of a swimmer will transfer this nerve toxin which makes MS/ALS like symptoms. First found off the Costa Rican shore where symptoms started within 10 minutes of contact (not puncture).
	SNAKE, ADDER	T	
	SNAKE, ASKULAP	T	European Snake
	SNAKE, BARREL-RINGEL	T	European Snake
	SNAKE, BLACK	T	Unidentified Canadian snake
	SNAKE, CARPET VIPER	T	600 TO 100,000 bites of humans mostly in Africa are recorded annually with only a 10-20% mortality. This leaves considerable residue and miasms, not including what is obtained from bitten animals that are eaten. The miasm and residue most affect kidneys. It is considered one of the most deadly snakes in the world. Most known in Africa and India. First used in KAP STR.
	SNAKE, COBRA VENUM	T	Common to SE Asia
	SNAKE, COPPERHEAD VENUM	T	Common to Eastern US
	SNAKE, COTTON MOUTH	T	Common to Eastern US
	SNAKE, KREUZOTTES	T	European Snake
	SNAKE, LEPARD	T	German snake
	SNAKE, MASSASAGA RATTLER	T	Snake found in Ontario, Canada
	SNAKE, PUFF ADDER	T	Puff Adders are most known in Africa. Bite affects heart, autonomic nervous system and kidneys in addition to breaking down the blood. The miasm and residue most affect kidneys. First used in KAP STR.
	SNAKE, RINGEL	T	European Snake
	SNAKE, SCHILING	T	European Snake
	SNAKE, SISTURUS RATTLER	T	
	SNAKE, VIPER	T	
	SNAKE, WATER MOCCASIN	T	
	SPIDER (HOUSE) TOXINS	T	Something has caused an otherwise shy, non-aggressive spider to become extremely aggressive - biting multiple times. The location of the bite becomes affected. There are normal bronchi constrictions as with other spider bites.
	SPIDER POISON	T	
SEA VTC	SPLEEN ENZYME ALTERATION - VACCINE TOXIN CLEAN	M VB	A combination of formulas designed to clean out direct vaccine toxins from children and the residue of vaccines actively passed on in the blood by mothers. The formula has a very large number of parts to be able to enclose it in a single remedy. Consequently it may take a high number of bottles to finish the detoxification. Thimerosal Containing Vaccine Antidote (TCV ANT) may be needed for the vaccine-special mercury used in vaccines up to 1999.

	TARANTULA	T	Generic name for a species of spiders found mostly in the Southern US.
	TETRODOTOXIN	T	Poison found in pufferfish (popular in Japan). Pufferfish is Fugu in Japanese. Pufferfish is one of 90 species. It survives cooking heat. Symptoms within minutes of eating are numbness and tingling from the extremities to whole body with a floating feeling. Nausea, vomiting, paralysis in an ascending pattern. Death starts with difficulty of breathing, progressing to coma, to convulsions, respiratory arrest.
TRD DPR	THYROID DEPARALYSIS	TV	The vaccination for hoof and mouth disease seems to attract a paralyzing virus to our thyroids, adrenals and reproductive glands. In combination with other viruses, the result is a hypothyroid. Symptoms include tiredness, weight, lowered immune system, lowered libido, lowered sexual ability, and some loss of drive.
TIC POI	TICK POISON	T	Venom of tick lodging in thymus to cause tiredness.
	WASP TOXIN	T	Most affect kidneys