

NAME	SYMPTOM COUNTERVIBRATION	BOTT LES	CONT ENTS	NOTES
ANTRX	ANTHRAX ANTIDOTE		B	Often appears like oral herpes with crusty outbreaks on lip are and inside of mouth.
BSL ATR	BASAL CELL ATROPHY		MVB	The condition causes a fear of confinement, a sense of always being on the edge of suffocation. Skin or organ manifestations are not yet distinguished in our research, but it would be wise to check this condition with Basal Cell Carcinoma and other skin deterioration conditions..
BAS CEL	BASAL CELL CARCINOMA		MVB	Skin disease that looks like a scab or festering mole that lingers on. Melanomas sometimes look similar
BAS C CX	BASAL CELL COMPLEX		MVB	The combination of the carcinoma with a retrovirus.
BAS GRN	BASAL GRANULOMA COMPLEX	6	MVB	Although the most common form of basal cell disruption is carcinoma, granulomas form like weeping, raw cysts. The remedy commonly pairs with T Cell Cutaneous Lymphoma (included in the formula).
BAS CPX	BASILOMA COMPLEX		MVB	For complicated Basal Cell infections. See also Basal Cell Carcinoma
BBT	BUG BITE TOXINS		T	For those who swell up at the slightest bite of mosquitoes, gnats, chiggers, etc. Spider and bee remedies are separate kinds.
CLC ST	CALCIFICATION SPONGY TISSUE		MVB	Calcification of various areas with spongy tissue, based on flexible infiltration that blocks the function of the area. Best taken with magnesium malate (appx 500 mg). When calcium is released, the alkalining effect is tiredness.
CAP JAM	CAPILLARY JAM		MVB	Capillaries miasmically shut down for lack of an enzyme that dissolves materials that clog them. The result is a fertile ground for moles, warts, skin tags, etc.. This condition is usually connected to low blood volume/dehydration and kidney problems.
CELIT 12	CELLULITE 12	5-6	MVB	One of several forms of the cause of cellulitis. This one is based on inherited factors.
CELIT 09	CELLULITIS 09		MVB	Based on incorrect conversion of adipose cells to muscles.
CHIKPX	CHICKEN POX		R	Used after child has passed worst stage of outbreak. Often found in combination with other residues in skin issues.
CPS	CHICKEN POX IN SPINE		RV	Residue and location that causes shingles.
COL FIB	COLLAGEN FIBROSIS		MVB	Carbon needs to be processed by the pancreas. CBPRZY and CRB STR or WHT HEL are needed to make this work to restore the firmness of collagen for the skin (wrinkles), ligaments and tendons.
COL MYE	COLLAGEN MYELOMA COMPLEX		MVB	A common group of afflictions causing collagen to break down throughout the body. Used as a base remedy for skin support, organ structure and fat reversal.
COL SMO	COLLAGEN SMOOTH	6	MVB	The remedy corrects a number of alterations in collagen that "happen with age" (worn-down cells in our viewpoint). By restoring the collagen cells, the skin starts to smooth again which is one of the answers to smoothing wrinkles.
	COXSACKIE A SERIES *		V	Often appears like oral herpes with crusty outbreaks on lip are and inside of mouth.
DRM ATP	DERMATITIS ATOPIC	5-6	MVB	An eczema-like skin breakout, usually of raised, red rashes on most anywhere on the body including eyelids, face and nails. Pictures on www.dermnet.com
DRM HEP	DERMATITIS HERPETIFORMIS		MVB	An abdominal red rash arising from Celiac disease.
ECZEMA	ECZEMA		MVB	Syphilinum-based remedy for well-known eruptive skin disease. See CPS for shingles.
ELS FBR	ELASTOFIBROMA		MVB	A noncapsulated, slow-growing mass of poorly cellular, collagenous, fibrous tissue and elastic tissue. Occurs usually in the subcapular adipose tissue of people over 40. An Elastosis is a complex collagen lipid made in the bone marrow. It is needed in hollow organs (like heart and lungs) to regain their shape as they expand and contract. Arteries, veins, eye muscles and joints need elastoidin for their function. Signs of deficiency are stiffness, loss of breath, mild heart pains, kidney pains felt on the hip crests and squishy skin lumps like Elastofibromas. "Elastoides performans sepiognosa" is a circulate group of asymmetric keratotic papules; the epidermis is thickened around a central plug of dermal elastic tissue which is extruded through the dermis. Looks like a squishy skin lump.

ELST LS	ELASTOIDIN LOSS DISEASE		MVB	Elastosis is a complex collagen lipid made in the bone marrow. It is needed in hollow organs (like heart and lungs) to regain their shape as they expand and contract. Arteries, veins, eye muscles and joints need elastoidin for their function. Signs of deficiency are stiffness, loss of breath, mild heart pains, kidney pains felt on the hip crests and squishy skin lumps like Elastofibromas.
EPDRM C	EPIDERMAL CELL REGENERATION	6	MVB	One of the remedies to make skin smooth.
EPB DYS	EPIDERMOLYSIS BULLOSA DYSTROPHIC	5-6	MVB	The onset of disease usually is at birth or during infancy, with generalized blistering as a common presentation. Dystrophic or absent nails are common in both of these dominantly inherited dystrophic epidermolysis bullosa variants. One form features extensive blistering, scarlike papules on the trunk (termed albopapuloid lesions), and involvement of the oral mucosa and teeth. Another form has minimal tooth and oral involvement and more commonly appears on limbs. It has been found in uteruses. One person had pox-like rashes in the winter. It solved a diagnosis of Chondrodermatitis Nodularis Chronica Helicis.
EPB HDS	EPIDERMOLYSIS BULLOSA HEMIDESMOSOMAL	5-6	MVB	Hemidesmosomal epidermolysis bullosa is similar to other forms with the typical blistering or keratin growths. In one type there is an association with muscular dystrophy. In another type there is extensive internal organ blistering that strongly disrupts organ function. Malabsorption (usually including, but not limited to gluten) and iron deficiencies are common, but rarely recognized as connected.
EPB JNC	EPIDERMOLYSIS BULLOSA JUNCTIONAL	5-6	MVB	Patients with lethal forms of junctional epidermolysis bullosa show characteristic periorificial erosions around the mouth, eyes, and nares, often accompanied by significant hypertrophic granulation tissue. Multisystemic involvement of the corneal, conjunctival, tracheobronchial, oral, pharyngeal, esophageal, rectal, and genitourinary mucosae is present. Internal complications of the disease include a hoarse cry, cough, and other respiratory difficulties. Scalp, nail, and tooth abnormalities increasingly may become apparent. Non-lethal forms exclude hoarse cries, but periorificial erosions and hypertrophic granulation tissue can be present. Mucous membranes often are affected by erosions, resulting in strictures. Experience has also associated this with double vision, undifferentiated breast lumps and atrophic benign cause of macular degeneration.
EPB KG	EPIDERMOLYSIS BULLOSA KERATIN GRANULOSUM	5-6	MVB	Associated with skin tags, keratoconus (eyes), prolapsed uterus with Strep A _____, Keratoacanthoma/Intestinal Cheese cloth.
EPB LMN	EPIDERMOLYSIS BULLOSA LAMINA	5-6	MVB	Receding Gums. Skin that sluffs off and feels like "sand " in the bed has been reported.
EPB SMP	EPIDERMOLYSIS BULLOSA SIMPLEX	5-6	MVB	Epidermolysis bullosa simplex is a collection of keratin disorders characterized by intraepidermal blistering with relatively mild internal involvement. A generalized onset of blisters occurs on hands, feet, and extremities as the most common sites of involvement. Oral mucosa can manifest with grouped herpetiform blisters and teeth nerves are often attacked. Hyperhidrosis can accompany this disorder. Malabsorption (usually including, but not limited to gluten) and iron deficiencies are common, but rarely recognized as connected. Clinical cases are seen shortly after birth while adult-onset cases have little supporting information. Thin skin that easily damaged has been frequently noticed.
FING FS	FINGER FISSURES		V	A virus that causes splits in the skin near the tips of the fingers especially in cold weather with repeated wetting of hands.
FIRM UP	FIRM UP		MVB	Strengthens collagen and tendons throughout the body. See also SRG TSU
HRP INH	HERPES INHERITED		MVB	The miasmatic disease of herpes as opposed to the active infection of herpes. It manifests on most any part of the body as warm lumps that look like boils which will not burst.
HERPO	HERPORAL		RV	Can also require Strep, CPS, Small Pox, Chlamydia Pneumonia. Coxsackie and Anthrax are mistaken for Oral Herpes.
HIVES	HIVES		MVB	Syphilinum-based remedy for painful skin disease that can also be in interior, mucous membrane. If seen on the outside, can be on inside.

HYLN MB	HYALINE MEMBRANE DISEASE		MVB	This is for infant and adult-onset Respiratory Distress Syndrome. It antidotes the cause which is from a Type 2 Pneumocytes deficiency of pulmonary suffocant. Whereas current science calls this a premature baby condition, we see it as a hereditary disease mimicing asthma and emphysema later in life. Adult-onset symptoms include hypoxia (too much Carbon Monoxide) that causes drowsiness after eating or when inactively sitting. It can add to snoring. Take with CO.
IC CPX	INTRADERMAL CARCINOMA COMPLEX		MVB	Also called Bowen's Disease. An inherited skin, epidermal, intra organ wall and mucous membrane Squamous cell carcinoma disease with a radiation and papilloma herpes base. It has a predisposition for exposed outer skin and genitals. Plaque may develop as thick skin (especially in genitals); as brownish, thick plaque on limbs; or red skin with yellow crusted plaque. Internally, where it is not well known, it may develop as systemic cancer. For some there is axillary crease redness and itchiness.
KER ATP	KERATO CONJUNCTIVITIS ATOPIC	5-6	MVB	Allergic hypersensitivity in eyes, usually accompanying Atopic Dermatitis. It is described as an inherited condition caused by excess antibodies. Lower eyelids are often more red and swollen than upper. Other symptoms include photosensitivity, itchy, burning, tearing and hardened eyelids. Cornea is usually irritated as well as eyelids. Usually affects young adults.
KRTCJS	KERATO CONJUNCTIVITIS SICCA	5-6	MVB	AKA Dry Eye Syndrome relating to too little, harmful/stinging or evaporating tears. Symptoms include dryness, burning and a sandy-gritty eye irritation that worsens as the day progresses. Sensations described are itchy, scratchy, stinging, tired, pain, redness, a pulling sensation and pressure behind the eyes.
KRTSIS	KERATOSIS	5-6	MVB	A generic remedy for unusual and mild forms of keratosis.
KER MLN	KERATOSIS - MELANOACANTHOMA	5-6	MVB	This is essentially "Pigmented Seborrheic Keratosis". The lesions are often numerous and range from light tan to black. They are round or oval, feel flat or slightly elevated (like a scab from a healing wound). Some describe them as appearing to be pasted on. They resemble a melanoma or they resemble a flock of moles. They seem to increase in number with age.
KER ACT	KERATOSIS ACTINIC		MVB	A sharply outlined, usually skin colored or reddish, flat or elevated verrucous or keratotic growth which may bulge and may give rise to squamous cell carcinomas.
KER FOL	KERATOSIS FOLLICULARIS		MVB	A slowly progressive keratinization/papules that range from tan to skin colored. They may become crusted and secondarily infected. The lesions may eventually become darker plus form papillomatous, warty, malodorous growths.
LEP LEP	LEPROMATOUS LEPROSY		B	Not very contagious form of tuberculoid leprosy to be taken with TB skin (usually there is TB in other parts of the body as well). Thickens cutaneous nerves and has saucer-shaped flat skin lesions.
LEP	LEPROSY		B	Officially called Hansen's Disease this involves multiple systems of the body, with wide-spread skin nodules, destruction of the nose cartilage and bone, testicular atrophy, peripheral edema and eye problems often involving blindness.
LICH SC	LICHEN SCLEROSUS	4-6	MVB	<i>A skin disease that normally starts with white patches and can spread anywhere. It has a proclivity to the genital area where it mimics genital herpes. It can shrink the genitals making coitus, urination or defecation difficult or painful. It is known as Balanitis Xerotica Obliterans. It can also plug sweat and hair glands. it is considered not contageous, although those who have it don't believe it. In some ways it mimics vitiligo and this remedy may therefore be a solution to vitiligo.</i>
LIV ENZ	LIVER ENZYME REGENERATION		MVB	Reconstructs the liver's ability to create enzymes correctly for digestion and collagen (anti-wrinkle) making.
LIV SPT	LIVER SPOTS		T	Brown spots on the skin, most often on the back of hands or on the face. Lighter brown spots ("café au lait") on other parts of the body often indicate neurofibromatosis (liver disease). Sometimes the light brown spots are big indicating kidney diseases.
LMF C DR	LYMPHOMATOID CONTACT DERMATITIS	5-6	MVB	Usually characterized by forehead flaking, redness and papules.
MANGE	MANGE		P	A mite that causes dermatitis in fur that sometimes causes allergic reactions in humans. Because it is a mite and not a parasite, the remedy Critter Be Gone will not work.
MLNG AS	MELANOGENICUS ASACCHAROLYTICUS		MVB	The bacteria strongly mimics genital herpes, but is mostly known in current science as a mucous, oral infection with symptoms of small bumps on the inside of the mouth.
MELOMA	MELANOMA		MV	Skin issue starting as dark spot or mole that expands and deteriorates. Inherited

MELN CX	MELANOMA COMPLEX	6	MVB	Melanomas originate in the pigment-producing melanocytes in the basal layer of the epidermis. Melanomas often resemble moles; some develop from moles. The majority of melanomas are black or brown, but they can also be skin-colored, pink, red, purple, blue or white. They are not limited to the outside of the skin and may develop in the brain or anywhere in the body. The remedy includes RV Cell.
MSL BUN	MUSCLE BUNCHING 1		MVB	Causes muscles to condense in the mid back area, usually causing food to stick in the esophagus. The same group can inhibit heart and lung activity.
NER DCG	NEURODERM CELL GENERATION		MVB	Neuroderm cells originate in the neurocrest and form the basis of brain cells and all tissue that receive nerves. The cells later differentiate into Neuroectodermal cells which become astrocytes, microglial, ependymal and oligodendrites (working cells within the larger picture of neuroderm cells).
NER DRM	NEURODERMATITIS		MBF	Non-specific, itchy skin disorder that invites scratching to the point of skin breakout. Most concentrated in easily exposed areas. A form of eczema with a few extra twists.
PAP MXD	PAPULAR MYXEDEMA		MVB	Comes somewhat as a byproduct of Monoclonal Gamopathy. "Circulating cytokines, inflammatory mediators and fibroblast precursor cell lineages that migrate from the blood take up residence in the dermis and in more extensive cases, in other tissue and synthesize mucin". There is a fibrocystic proliferation, increased deposit of acid mucopolysaccharides in the skin and the presence of circulating paraprotein, usually immunoglobulin G, which presents as either discrete or generalized lichenoid papules with or without scleroderma OR as urticaria-like plaques and nodules. Some cases progress to more generalized disease (so-called atypical papular mucinosis). The condition follows a chronic and progressive clinical course to respiratory failure, cerebral disease and infection usually leading to gradual decline and death. AKA Lichen Myxedematosus or Sclero Myxedema.
PPX NRV	PARA POX NERVES			One of the government experiments that creates a rash of red dots on the arms, legs, midriff and face. They seem impervious to natural or drug infection fighters. As the issue progresses white pustules form in the dot areas, resembling Bubonic Plague appearance. As the remedy pushes the infection out the pustules may initially enlarge and then disappear. You can take this aggressively.
PHNX FR	PHOENIX FORCE	6	MVB	Hyaluronic acid forms all the cells that keep us firm. The hyaluronic acid disease starts on the endosteum (inside lining of the bone) which affects all hyaluronic acid. The disease produces an altered hyaluronic acid that (1) destroys cells of the endosteum (2) 50% of the cells in the Thymus and (3) gradually destroys firmness of the tissue. The remedy has a tested ability to protect the body from some forms of radiation. In general it helps the body live healthier and longer. It also eliminates the need to take Cellular Constriction Disease
PIT ROS	PITYRIASIS ROSEA		MRB	Slightly scaling pink macular rash starts in one area and progresses as a diffuse rash along line of the folds of the skin. Often on face, but commonly on unexposed areas of skin.
PLGLN A	POLLYGLADULAR ALLERGY DISEASE	6	MVB	<i>It is a disease in the adrenals that causes the liver, thyroid and other organs to inflame and affect your skin like hives. Dry skin is a side affliction. Some people would also have trouble with lungs, over-active lymph system and digestion.</i>
PLCR AD	POLYCRYSTAL ACIDOMA		MVB	This is a Lymphoma Polycrystal Sugar derivative that makes crystallized sugar that eats tissue. Skin condition produces sores, wounds, etc that are mistaken for skin cancer, etc. The condition can arise from general lymph blockage as well.
	POROKERATOSIS		MVB	The inherited disease is characterized by hyperkeratotic papules or plaques surrounded by a threadlike border that expands centrifugally. More specifically there are several appearances (variants); one is slightly raised, crusty plaque about as round as an eraser head; others are more whitish in the center with irregular shapes - often in arm pits; others on the palms and soles like unraided warts. Many can develop to keratomas. Technically they all seem to extend through the stratum corneum and appear as defects in the development of the cornoid lamella.
PSORIS	PSORIASIS		MVB	Syphilinum-based remedy for the well-known crusty skin disease.
RED SPT	RED SPOTS		MVC	Chronic Myelomonocytic Leukemia (CMML) makes small red spots mostly on abdomen which shows spleen bleeding in leukemia
ROSAC	ROSACEA		RB	Red rash in cheeks, chin and other parts of face, usually around mid life. "Adult acne".
SCR TSU	SCAR TISSUE		MVB	An experimental remedy that helps replace scars with normal skin tissue. Conditions include burns, cuts, stria, grafts and keloids)

SCOP BR	SCOPULARIOPSIS BREVICALIS	2-4	F	Scopulariopsis are soil saprophytes that are dermatomycotic molds seen mainly in onychomycosis (nail fungus). Other deep infections are seen in (1) pulmonary cavities (2) keratitis (3) Post Traumatic Endophthalmitis (eyes) (4) pneumonia in leukemic patients (5) endocarditis related to valvulopathy of prosthetic valves, (6) fatal disseminated infection after a bone marrow transplant (7) disseminated skin lesions in (a) AIDS patients (b) Granulomatous Subcutaneous Infections (c) Invasive Hyalohyphomycosis including species of <i>Penicillium</i> , <i>Paecilomyces</i> , <i>Acremonium</i> , <i>Beauveria</i> , and <i>Fusarium</i> .
SCOP KN	SCOPULARIOPSIS KONIGII	2-4	F	Scopulariopsis are soil saprophytes that are dermatomycotic molds seen mainly in onychomycosis (nail fungus). Other deep infections are seen in (1) pulmonary cavities (2) keratitis (3) Post Traumatic Endophthalmitis (eyes) (4) pneumonia in leukemic patients (5) endocarditis related to valvulopathy of prosthetic valves, (6) fatal disseminated infection after a bone marrow transplant (7) disseminated skin lesions in (a) AIDS patients (b) Granulomatous Subcutaneous Infections (c) Invasive Hyalohyphomycosis including species of <i>Penicillium</i> , <i>Paecilomyces</i> , <i>Acremonium</i> , <i>Beauveria</i> , and <i>Fusarium</i> .
SEB ADN	SEBACEOUS ADENOMA		MVB	A yellow papule or nodule usually in the head area like the eyelid or genitourinary area and visceral areas. The presence in at least one spot outside the intestines is usually indicative it will also appear in the intestines with either Muir Torre or Lynch I or II.
SEB MAL	SEBACEOUS MALADY COMPLEX		MVB	The kidneys are the source of this scientifically unrecognized, systemic disease. Sebaceous glands, sometimes called oil glands, are body-wide holocrine glands controlled by the natural salts made in the kidneys. Without specific salts formed from the blood, these glands are starved and become toxic. Afflicted subjects often feel like a big allergy, made more toxic with passing infections. The gums are especially susceptible to infections in gums, teeth and teeth nerves. Thyroids always under function and easily swell because of Sebaceous Adenoma in the sebaceous glands of the thyroid. In some instances there is frequent uterine bleeding with a diagnosis of multiple fibromas (which are actually sebaceous adenomas). The skin is usually dry and easily sprouts moles, warts, etc.. This condition is what invites Squamous cell carcinoma, basal cell carcinoma and melanomas.
SBR BKR	SEBORRHEIC BASAL KERATOSIS		MVB	Seborrhic areas are scalp, face, chest, back, axila and groin. These are common, benign, non-invasive tumors based on basaloid cells sometimes presenting as soft, friable plaques with slight to pronounced pigmentation. Sometimes they present in crops.
SBR DRM	SEBORRHEIC DERMATITIS		MVB	A chronic inflammatory disease of the skin characterized by moderate erythema, dry, moist or greasy scaling and yellow crusted patches around the face, ears, suborbital regions, umbilicus, genitals and especially around the scalp where it causes excessive dandruff. Considerable itching usually accompanies the condition.
SBR KER	SEBORRHEIC KERATOSIS		MVB	Seborrhic areas are scalp, face, chest, back, axilla and groin. These are common, benign, non-invasive tumors sometimes presenting as soft, friable plaques with slight to pronounced pigmentation. Sometimes they present in crops. Normally they are seen starting in middle age. Also known as Seborrhic Warts, although they are not warts.
SKN BLD	SKIN BLOOD		MV	IgE Immunoglobulin Deficiency. No resistance to staph infections, particularly of the skin
SKN BMP	SKIN BUMPS		MRV	An unidentified disease of the epithelium - one of the layers of the skin. The disease forms the basis of most warts, corns, moles and lymphomas.
SKN CLR	SKIN CLEAR		MVB	A formula for clearing the epithelial tissue and chromocytes of the basis for corns, moles, skin tags and warts.
SKN CTC	SKIN CONTRACT		BV	Along with, Bone Hard, this forms the basis of strategy for Scleroderma . . . and other skin conditions.
SKN NRV	SKIN NERVE VIRUS		V	Contributes to some skin conditions that are not solely bacterial or fungal.
SKIN PAR	SKIN PARCH		MVB	A blood platelet disease that strongly dries the skin.
SKN PCH	SKIN PATCH		MBF	Dry patches of skin that can turn into carcinomas have long alluded easy cure
SKN RNW	SKIN RENEW		MVB	For keratinocyte recycling. Keratinocytes are epidermal cells that synthesize keratin, other proteins and sterols. They constitute 95% of the epidermis and are made in the bone. When these cells diminish in ability, skin ages; moles, warts etc grow and pigment changes. This formula is to restore the recycling. Take with other skin remedies, eye remedies.
SKN SMO	SKIN SMOOTH		MVB	The remedy combines several bone rogue antibody remedies with bacteria to remove the basis for some growths on the skin.
SOLR LN	SOLAR LENTIGO	6	MVB	A sun-induced freckle or senile lentigo, is a dark (hyperpigmented) lesion caused by natural or artificial ultraviolet (UV) light. Solar lentigines may be single or multiple.

SQA CEL	SQUAMOUS CELL CARCINOMA		MVB	Scab-like deterioration of skin usually in contained spots. See also TUB SCR
SQSH LP	SQUISHY LUMPY		MVB	Those benign lumps under the skin that are squishy and don't go away. If they are surgically removed, several others come back somewhere else. This is the latest (9/04) remedy we have made for the condition.
STF FE	STAPH FE		B	A deep bacteria in the flesh stemming from a staph infection in the bone. The infection easily travels to arm pits making them red and swollen. Long term infections can cause weals on the skin. Internally it causes deep irritations in the arterial walls, gall bladder, liver, pancreas and brain.
	STREP A7		B	Found attacking Retinol and Retinal which causes a vitamin A deficiency in skin which caused multiple skin cancers/ warts. Vision problems are linked also to vitamin A deficiency with the attack of retinol and retinal.
STR FE	STREP FE		B	Although the FE stands for "flesh eating", the rate of destruction can be very very slow. Our experience says this can be at the same rate as a regular strep infection, even though it is still destructive. It deserves high priority, but not panic unless there is evidence of a very fast (rare) rate.
SRG TSU	STRONG TISSUE		MRV	Aimed at Ehlers Danlow Syndrome. Subjects often have hyperflexibility in different joints and unusual ability to pull folds of skin from body. When they sprain an ankle or other joint, pain is deeper and recovery time is longer than others by 3x+.
SWL SKN	SWELLING SKIN		MVB	In addition to the standard skin diseases that make the skin swell (Psoriasis, Hives, Eczema), this condition exists more in the epidermal layers of the skin than the roots. Externally the skin is easily affected by sun and attracts black fly bites. Internally the epidermal layers of organs will swell with acidity, carbohydrates and many infections.
T CL CUT	T CELL CUTANEOUS LYMPHOMA	5-6	MVB	A Thymus disease acting like a cross between lymphoma and leukemia. It is characterized by skin lesions and lesions in the intestines. Seen in current science in many different forms, the remedy is designed to combine the vibrations of all forms.
T CLC CX	T CELL CUTANEOUS LYMPHOMA COMPLEX.	6	MVB	The remedy contains the Lymphoma and RV Cell. It is most commonly found in the lymph nodes of the the thyroid as a thyroid nodule or in the thymus. This unstudied lymphoma/leukemia is suspected to be involved in other diseases.
THK SKN	THICK SKIN		MVB	An amyloid condition causing a whitening of the skin. Usually this is with a skin fungus like one of the tineas, trichophytos or lichens.
THK TIS	THICK TISSUE		MVB	A combined hereditary and secondary megaloblastic amyloidosis. Commonly found in people who develop a "fleshiness" with weight.
TIR ICH	TIRED AND ITCHY		MVB	An adrenal disease usually seen after age 50. The subjects usually push themselves past an inherited anemia until the adrenals are so overworked that they break carboxyls into an acid (carboxyl acidosis). The acid enters the blood stream and tries to exit the body via the skin causing a diffuse, persistent itch that remains frequent in some areas and sporadic in others. The skin can become dry. There is usually a concurrent underactive thyroid plus, for some, a need for SLP BAL.
TIS ENZ	TISSUE ENZYME DISEASE		MVB	The inner most adrenal cortex layer does not assimilate minerals well enough to make the mineralocorticoid needed to replace skin. First signs of the deficiency are white dots on finger nails leading to multiple skin insufficiencies.
	TRICHOPHYTON ACNE *		F	As the name implies this is often seen in facial and back acne along with adrenal remedies.
TUB SCR	TUBERCULINUM SCURVY		MR	Miasm weakness of skin to sun that may turn into skin cancer. Redheads, most Irish and others are likely candidates
TUB RIK	TUBERCULINUM RICKETS		MR	Miasm base of skin rashes and "pimples" that break out with exposure to the sun. See TUB SCR for sun-generated skin cancer
TUB SCL	TUBEROUS SCLEROSIS		MVF	A neurocutaneous disease with adenoma sebaceum, nodules and sclerotic patches in the cerebral cortex, retinal tumors, depigmented leaf-shaped macules on the skin, tumors of the heart and kidneys, pitting or deterioration of teeth enamel.
ZNC ABS	ZINC ABSORPTION		MVB	There are stem cells in many organs that convert minerals to enzymes and tissue substance. This remedy is for the error in those cells that makes them collect zinc instead of utilize it. Zinc is valuable for eyes, skin, liver, cell growth, RNA/DNA health and (for males) prostate health. Additional organs most affected are kidneys, ears (hearing), thyroid and parathyroid.